

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3540	HORSESHOE BEND RANGE FRONT LIGHT	39 53 12 N 75 08 06 W	Q G	15		On dolphin.	Visible on rangeline only. Lighted throughout 24 hours.
		*		*		*	* 31/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Boot Key North Channel							
*13815.1	- Daybeacon 1A	24 42 18 N 81 05 24 W				SG on pile.	Private aid. 31/99
*13815.2	- Daybeacon 2B					TR on pile.	Private aid. 31/99
*13815.3	- Daybeacon 3B					SG on pile.	Private aid. 31/99
*13815.4	- Daybeacon 4B					TR on pile.	Private aid. 31/99
*13815.5	- Daybeacon 5B					SG on pile.	Private aid. 31/99
*Add Heading: *Boot Key East Channel							
*13816	- Daybeacon 3A	24 42 24 N 81 05 18 W				SG on pile.	Private aid. 31/99
*13817	- Daybeacon 5A					SG on pile.	Private aid. 31/99
*Add Heading: *North Siesta Key							
*21570.1	- Daybeacon 1	27 18 18 N 82 33 30 W				SG on pile.	Private aid. 31/99
*21570.2	- Daybeacon 3					SG on pile.	Private aid. 31/99
*21570.3	- Daybeacon 5					SG on pile.	Private aid. 31/99
*21570.4	- Daybeacon 7					SG on pile.	Private aid. 31/99
*21570.5	- Daybeacon 9					SG on pile.	Private aid. 31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21570.6	- Daybeacon 11					SG on pile.	Private aid. 31/99
	*Add Heading: *Big Sarasota Pass						
21575	- Daybeacon 17					SG on pile.	31/99
*33705.5	- Daybeacon 21B					SG on pile.	31/99
*33710.5	- Daybeacon 22A					TR on pile.	31/99
	*Add Heading: *Hudson Bayou						
*58485.1	- Daybeacon 1	27 19 30 N 82 32 36 W				SG on pile.	Private aid. 31/99
*58485.2	- Daybeacon 2					TR on pile.	Private aid. 31/99
	*Delete Heading: *Hudson Bayou						
*58485.3	- Daybeacon 3					SG on pile.	Private aid. 31/99
*58485.3	- Daybeacon 3					SG on pile.	Private aid. 31/99
	*Add Heading: *Siesta Key - Tampa Bay						
58490	- Daybeacon 8A	27 19 36 N 82 33 12 W				TR-TY on pile.	31/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2465	- Daybeacon 3					SG on pile.	Ra ref. * 31/99
4695	- Daybeacon 4					TR on pile.	Ra ref. * 31/99
*4786	- Buoy 28A					Red nun.	31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4855	- LIGHT 12	30 17 12 N 87 33 12 W	FI R 4s	17	3	TR on pile.	Ra ref.
						*	* 31/99
4865	- Daybeacon 2					TR on pile.	Ra ref.
							* 31/99
4915	- Daybeacon 13					SG on pile.	Ra ref.
							* 31/99
5585 32175	- LIGHT 2	30 17 00 N 87 45 24 W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
						*	31/99
*14792	Missouri Bend Channel Buoy 2					Red nun with green bands.	May be changed to red nun during periods of low water.
							31/99
*14797	Missouri Bend Channel Buoy 4					Red nun with green bands.	May be changed to red nun during periods of low water.
							31/99
*14798	Missouri Bend Channel Buoy 6					Red nun with green bands.	May be changed to red nun during periods of low water.
							31/99
14800	Missouri Bend Channel Buoy 2 LDB mile 222.0.						<i>Remove from list.</i>
							* 31/99
*14807	Missouri Bend Channel Buoy 8					Red nun with green bands.	May be changed to red nun during periods of low water.
							31/99
*14809	Missouri Bend Channel Buoy 10					Red nun with green bands.	May be changed to red nun during periods of low water.
							31/99
14810	Missouri Bend Channel Buoy 4 LDB mile 222.4.						<i>Remove from list.</i>
							* 31/99
*14816	Missouri Bend Channel Buoy 12					Red nun with green bands.	May be changed to red nun during periods of low water.
							31/99
14820	Missouri Bend Channel Buoy 6 LDB mile 222.7.						<i>Remove from list.</i>
							* 31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14835	Missouri Bend Channel Buoy 8 LDB mile 223.4.						<i>Remove from list.</i>
							* 31/99
23390	- Daybeacon 2				TR on pile.		Ra ref.
	*					*	* 31/99
23480	- LIGHT 30		FI R 4s	17	3 TR on pile.		Ra ref.
						*	31/99
23485	- LIGHT 31		FI G 4s	17	3 SG on pile.		Ra ref.
						*	31/99
23500	- LIGHT 37		FI G 6s	17	4 SG on pile.		
						*	31/99
24425	- LIGHT 129 50 feet outside 12 foot curve.		Q G	17	4 SG on pile.		
						*	31/99
24435	- LIGHT 131		FI G 2.5s	17	4 SG on pile.		
						*	31/99
24445	- LIGHT 132 150 feet outside channel limit.		FI R 4s	17	4 TR on pile.		Ra ref.
						*	31/99
24450	- LIGHT 133 260 feet outside channel limit.		FI G 2.5s	17	4 SG on pile.		Ra ref.
						*	31/99
24470	- LIGHT 136		FI R 2.5s	17	4 TR on pile.		
						*	31/99
24475	- LIGHT 139 150 feet outside channel limit.		FI G 4s	17	4 SG on pile.		
						*	31/99
24495	- LIGHT 146 150 feet outside channel limit.		FI R 4s	17	4 TR on pile.		
						*	31/99
24500	- LIGHT 150 125 feet outside channel limit.		FI R 2.5s	17	4 TR on pile.		
						*	31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24505	- LIGHT 152 150 feet outside channel limit.		FI R 2.5s	17	4	TR on pile.	
						*	31/99
24510	- LIGHT 160		FI R 2.5s	17	3	TR on pile.	
						*	31/99
24515	- LIGHT 161		FI G 2.5s	17	4	SG on pile.	
						*	31/99
24520	- LIGHT 163		FI G 2.5s	17	4	SG on pile.	
						*	31/99
24545	- LIGHT 2	29 37 48 N 94 45 42 W	FI R 4s	17	4	TR on pile.	Ra ref.
						*	31/99
24555	- LIGHT 6	29 38 06 N 94 44 36 W	FI R 4s	17	3	TR on pile.	Ra ref.
						*	31/99
24565	- LIGHT 10	29 38 30 N 94 43 30 W	FI R 2.5s	17	3	TR on pile.	Ra ref.
						*	31/99
24595	- LIGHT 16		Q R	17	3	TR on pile.	Ra ref.
						*	31/99
24955	- Daybeacon 17					SG on pile.	Ra ref.
							* 31/99
24960	- Daybeacon 19					SG on pile.	Ra ref.
							* 31/99
25080	- LIGHT 4 60 feet outside channel limit.		FI R 4s	17	3	TR on pile.	
						*	31/99
25110	- LIGHT 13 50 feet outside channel limit.		FI G 4s	17	4	SG on pile.	
						*	31/99
25130	- LIGHT 17 50 feet outside channel limit.		Q G	17	4	SG on pile.	
						*	31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26175	- RANGE C FRONT LIGHT	28 36 00 N 96 34 12 W	Q W Q W	25 27	5	KRW on skeleton tower on piles.	Visible 2° each side of rangeline. Passing light visible around horizon.
			*				31/99
28695	- LIGHT 6		FI R 6s	17	4	TR-TY on dolphin.	Ra ref.
						*	* 31/99
28710	- Daybeacon 12					TR-TY on pile.	Ra ref.
							* 31/99
28715	- Daybeacon 13					SG-SY on pile.	Ra ref.
							* 31/99
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
Apalachicola River							
29105	- LIGHT 2		Q R	17	3	TR-TY on pile.	Ra ref.
						*	* 31/99
29185	- Daybeacon 30					TR-TY on pile.	Ra ref.
							* 31/99
29240	- LIGHT 5 50 feet outside channel limit.		FI G 4s	17	3	SG-SY on pile.	Ra ref.
						*	* 31/99
29715 3310	- LIGHT 28	30 07 42 N 85 37 18 W	Q R	17	3	TR-SY on pile.	Ra ref.
							* 31/99
30155	- Daybeacon 29	30 24 24 N 86 11 00 W				SG-SY on pile.	Ra ref.
							* 31/99
Choctawhatchee Bay							
30670	Weekley Bayou Daybeacon 1					SG on pile.	Ra ref.
							* 31/99
30720	CHOCTAWHATCHEE BAY LIGHT 61	30 24 30 N 86 32 12 W	FI G 6s	17	4	SG-SY on pile.	Ra ref.
							* 31/99
30945	- LIGHT 37 45 feet outside channel limit.		Q G	17	3	SG-SY on pile.	Ra ref.
						*	* 31/99
31180	- LIGHT 82		FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
						*	* 31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
32100	- Daybeacon 89					SG-SY on pile.	Ra ref.
							* 31/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*570	Pelican Bay Light	42 02 30 N 124 15 42 W	FI (3) W 19.5s	141	11	White octagonal tower attached to building.	Private aid.
							31/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceeding the station number.